BIBLIOGRAPHIC INFORMATION SYSTEM

Journal Full Title: Journal of Biomedical Research & Environmental Sciences

Journal NLM Abbreviation: J Biomed Res Environ Sci

Journal Website Link: https://www.jelsciences.com

Journal ISSN: 2766-2276

Category: Multidisciplinary

Subject Areas: Medicine Group, Biology Group, General, Environmental Sciences

Topics Summation: 133
Issue Regularity: Monthly
Review Process: Double Blind

Time to Publication: 21 Days

Indexing catalog: IndexCopernicus ICV 2022: 88.03 | GoogleScholar | View more

Publication fee catalog: Visit here

DOI: 10.37871 (CrossRef)

Plagiarism detection software: iThenticate

Managing entity: USA Language: English

Research work collecting capability: Worldwide

Organized by: SciRes Literature LLC

License: Open Access by Journal of Biomedical Research & Environmental Sciences is licensed under a Creative Commons Attribution 4.0 International License. Based on a work at SciRes Literature LLC.

IndexCopernicus

ICV 2022:

83.03

Manuscript should be submitted in Word Document (.doc or .docx) through

Online Submission

form or can be mailed to support@jelsciences.com

• Vision: Journal of Biomedical Research & Environmental Sciences main aim is to enhance the importance of science and technology to the scientific community and also to provide an equal opportunity to seek and share ideas to all our researchers and scientists without any barriers to develop their career and helping in their development of discovering the world.

RESEARCH ARTICLE

The Same Evolution Law Implied by the Humanoid Solar System and The Mid-oceanic Ridge of the Earth and Human Individuals

Henghua Yan*

Department of Testing, Jiangsu Guojian Testing Technology Co Ltd, Wuxi City, 214135, China

Abstract

The humanoid Solar System originated from the Big Bang of the interstellar dirty snow ball egg [1] which was collided by foreign celestial bodies and came into being from the big end of head (the Sun) to the small end of tiptoe (the Pluto [2]) within hundreds of millions of years.

The mid-oceanic ridge of the Earth originated from the breaking up of the unique supercontinent which was collided by foreign celestial bodies and subsequent separation of the ancient plates and came into being from the big end of head (the Hinted Black Hole located on the Northwestern Pacific Ocean floor) to the small end of tail (the Arctic Ocean floor) within 60 million years or so.

Every human individual's life starts with the micro Bang of the human fertilized egg [3-5] resulted from the deeply kissing event of love between the human egg and human sperms and is born to this world naturally from the big end of head to the small end of foot after ten months of pregnancy in his or her mother's womb.

From the macro outline of the humanoid Solar System [6] to the micro outline of human individuals, the same evolution law of Matryoshka doll of Russia could be deduced logically.

Introduction

What is the ultimate meaning of human individuals existing on the blue planet Earth? What is the relationship between human individuals and intimate celestial bodies, such as the mid-oceanic ridge of the Earth and the humanoid Solar System?

In fact, human individuals act as the miniature evolving version of the two celestial bodies mentioned above. That is to say, the same inner evolution law dominates the phenomenon from the macro outline of the humanoid Solar System and the mid-oceanic ridge of the Earth to the micro outline of human individuals. It presents in the magical series of Matryoshka doll of Russia in different scales of time based on the same evolution law of colliding event of love in different scales of scene.

*Corresponding author(s)

Henghua Yan, Department of Testing, Jiangsu Guojian Testing Technology Co Ltd, Wuxi City, 214135, China

Email: ainnyyh@qq.com

DOI: 10.37871/jbres2111

Submitted: 09 May 2025 Accepted: 25 May 2025

Published: 28 May 2025

Copyright: © 2025 Yan H, Distributed under Creative Commons CC-BY 4.0 ⊚**①**

OPEN ACCESS

Keywords

- > Humanoid solar system
- Mid-oceanic ridge
- Celestial body ring
- Hinted Black Hole (HBH)
- Celestial bodies' love
- > Chinese valentine's day
- Matryoshka doll of russia
- Supercontinent
- Big bang
- Interstellar Dirty Snow Ball Egg (IDSB Egg)
- Micro bang
- Ayers rock

VOLUME: 6 ISSUE: 5 - MAY, 2025



Subject Area(c

That may be the application of method of "the macro outline would be comprehended totally if the relevant micro outline could be seen."

Text

The big bang of the interstellar dirty snow ball egg from which the humanoid solar system originated

The magic distribution of the angular momentum of the main celestial bodies of the Solar System (except the Moon) implies that the humanoid Solar System originated from the Big Bang of the Interstellar Dirty Snow Ball Egg (IDSB Egg) caused by the foreign celestial bodies in the love colliding event (Figure 1).

The evolution sequence of the main celestial bodies of the humanoid solar system

The evolution sequence of the Humanoid Solar System was from the big end of head (the Sun) to the small end of tiptoe of foot (the Pluto), not including the Moon. That is to say, the evolution sequence was from the central core of the Sun to outer layer of the solar system (Figure 2).

Broke up of the unique supercontinent 66 Ma ago from which the mid-oceanic ridge of the Earth originated

It is well known that the mid-oceanic ridge [7] of the Earth wriggles through the south-east Pacific Ocean the Indian Ocean the Atlantic Ocean until the Arctic Ocean. However, the mid-oceanic ridge was born from the separation of the ancient plates of the unique supercontinent 66 Ma ago after the largest ancient plate sank to the ocean floor on the equatorial area due to the love kissing slightly by the foreign celestial bodies (Figure 3).

The celestial body love event happened to the Earth 66 Ma ago was hinted by the Celestial Body Ring, the Ayers Rock [8], which is located at the geometrical center of the main island of Australia (Figure 4).

That is a magical and fascinating place admired by lovers or couples all over the world to make an oath for eternal love, although they have little knowledge about the implied meaning of the Ayers Rock.

The evolution sequence of the mid-oceanic ridge of the earth

It is well known that the Northwestern Pacific Ocean floor is decorated with the geological age




Figure 1 The big bang of the interstellar dirty snow ball egg from which the humanoid solar system originated.




Figure 2 The evolution sequence of the humanoid solar system implied from the big end of head (the sun) to the small end of tiptoe of the foot (the pluto).

distribution of clam shells and it is the hinted meaning of the black hole [9-11] (HBH) which acts as the core center of the spiral galaxy in the universe (Figure 5). However, the largest ancient plate (ancient Jiazhou




Figure 3 Broke up of the unique supercontinent 66 ma ago from which the mid-oceanic ridge of the earth originated.




Figure 4 The celestial body ring-the ayers rock that is located at the geometrical centre of the main island of Australia.

plate, X1) broke away from the unique supercontinent and sank to the ocean floor on the equatorial area 66 Ma ago, had been rotating anticlockwise passively and drifting northwards in micro pace and hidden under the Northwestern Pacific Ocean floor until nowadays. And it actually had been acting as the big end of head of the mid-oceanic ridge of the Earth.

In other words, it is only when the largest ancient plate of the supercontinent sank to the ocean floor 66 Ma ago, then the mid-oceanic ridge came into being on the Earth by assembling from the Southeastern Pacific Ocean floor [13,14] to the new born Atlantic Ocean floor and the Indian Ocean floor, until the Arctic Ocean floor millions of years ago or so.

So, the Arctic Ocean floor had been acting as the small end of tail of the mid-oceanic ridge. The evolution sequence of the mid-oceanic ridge was from the big end of head of the Northwestern Pacific Ocean floor to the small end of tail of the Arctic Ocean floor (Figure 6).

The micro Bang of the fertilized egg from which the human fetus originated

It is well known that every human individual's life actually starts with the fertilized human egg which is kissed deeply by the human sperms (Figure 7).

However, based on the latest research, it is reported that when the human egg is kissed deeply by the human sperms, or when the fertilized egg comes into being, the sparkle of love could be detected




Figure 5 The geological age distribution of clam shells [12] and the Hinted Black Hole (HBH) of the northwestern pacific ocean floor.




Figure 6 The evolution sequence from the big end of head of the northwestern pacific ocean floor to the small end of tail of the arctic ocean floor of the mid-oceanic ridge of the earth [15].




Figure 7 The fertilized egg with which the human individual's life starts.

around it by precision instruments. In other words, every human individual's life originates from the micro Bang of the fertilized egg.

The birth sequence of the human fetus naturally

It is no doubt that before coming to this world, the human fetus would turn his or her head downwards in his or her mother's womb (Figure 8).

As a result, the birth sequence of the human fetus naturally would be from the big end of head to the small end of foot (Figure 9).

The magical evolution law of matryoshka doll of russia implied by the humanoid solar system and the mid-oceanic ridge and human individuals

It is not difficult to conclude that the same evolution law is implied by the humanoid solar system and the mid-oceanic ridge of the Earth and human individuals. However, they constitute the magical series of Matryoshka doll of Russia from the macro outline of the solar system to the micro outline of human individuals in different scales of scene (Figure 10).

They originated or started from the colliding event of love in different scales and evolved from the big end of head to the small end of foot or tail (Table 1).

So, every human individual could provide proof in micro state for the evolution of the humanoid Solar System and the mid-oceanic ridge of the Earth. Or exactly speaking, every human individual is the miniature version of the humanoid Solar System and the mid-oceanic ridge of the Earth. That may be the most important meaning of human individuals' existence on the blue planet Earth.




Figure 8 The human fetus' posture in his or her mother's womb before coming to this world.




Figure 9 The big end of head and the small end of foot of the human fetus.

Table 1: The comparison of evolution law from the macro outline of the humanoid solar system to the micro outline of human individuals in different scales.

uniterent scales.				
5	Item	Humanoid Solar System	Mid-oceanic ridge of the Earth	Human individuals
EM S	Native body	the Interstellar Dirty Snow Ball Egg (IDSB Egg)	Unique supercontinent of the Earth	Human egg
	Foreign body	Foreign celestial bodies	Foreign celestial bodies	Human sperms
	Colliding event of love	Big Bang of the IDSB Egg	Broke up of the unique supercontinent	Micro Bang of the fertilized human egg
Area(s):	Big end of head	The Sun	The Hinted Black Hole(HBH) located on the Northwestern Pacific Ocean floor	Head of human fetus
Subject	Small end of foot or tail	The Pluto (the tiptoe of foot)	The Arctic Ocean floor	Foot of human fetus
Т	ime consumption of evolutionary formation	Tens of millions of years	60 million years or so	Ten months or so
	Evolutionary scale	Macro state	Macro state	Micro state
	lifespan	Ten billion years or so	130 million years or so	80-100 years
	Present state	Equal to a woman of 40-50 years old	Equal to a woman of 40-50 years old	/



Figure 10 The magical series of matryoshka doll of Russia.




Figure 11 The jigsaw recovery of the unique supercontinent of the earth 66 million years ago.

Conclusion

From the macro outline of the humanoid Solar System and the mid-oceanic ridge of the Earth to the micro outline of human individuals, the




Figure 12 The legend story of the celestial bodies' love between the Vega (\mathfrak{P}) and Altir (\mathfrak{P}) across the milky way.

same evolution law is applied to the magical series of Matryoshka doll of Russia. Three of them all originated from the colliding events of love between the native body and the foreign bodies in different scales of scene. Also, three of them all came into being from the big end of head to the small end of foot or tail in different scales of time.

Every human individual who came into this world could provide a miniature version of proof of what happened to the unique supercontinent of the Earth 66 million years ago and how did the humanoid Solar System came into being billions of years ago.

From macro outline of the big Bang of the Interstellar Dirty Snow Ball Egg (IDSB Egg) to the breaking up of the unique supercontinent of the Earth 66 million years ago, including micro outline of the micro Bang of the human fertilized egg, all of the three kinds of colliding event in different scales of scene in the universe could be labelled as the behaviors of the celestial bodies' love in different scales of time.

Discussion

What is it symbolizing for the geological age distribution of clam shell located on the Northwestern Pacific Ocean floor? How did it come into being on Earth? And what is its fate in the faraway future? What role had it been playing on the ocean lithosphere of the Earth?

The geological age distribution of clam shells located on the Northwestern Pacific Ocean floor just symbolizes the Black Holes in the universe which have always been considered as the core and dominant center of spiral galaxies in the astronomical circle.

The HBH (Hinted Black Hole) located on the Northwestern Pacific Ocean floor came into being by the sinking of the largest ancient plate (ancient Jiazhou plate, X1) of the unique supercontinent to the ocean floor on the equatorial area 66 million years ago and subsequently its surface was covered by the mantle magma of different era gradually while the largest ancient plate drifted northwards in micro pace and rotated anticlockwise passively hidden in the ocean floor until the latitude nowadays. The unique supercontinent is shown by figure 11.

Therefore, it is reasonable to deduce that the HBH (Hinted Black Hole) located on the Northwestern Pacific Ocean floor should be the most in thickness of the ocean lithosphere [16–19] of the Earth.

Therefore, the jigsaw recovery [20] of the unique supercontinent 66 million years ago is not only the collection of the residual ancient plates wondering by human race and other animals simply. First of all, in the work of jigsaw recovery, the largest ancient plate should be digged out under the ocean floor of the Northwestern Pacific Ocean and make it the core center by circling of the residual ancient plates around it.

In the past 66 million years, The HBH (Hinted Black Hole) located on the Northwestern Pacific Ocean floor had been drifting northwards and rotating anticlockwise passively. Logically thinking, the North Pole would be of course the destination for the HBH in the faraway future, may be another 66 million

years would be on the spiral route of the surface of the blue planet Earth for it.

In the past 66 million years, The HBH (Hinted Black Hole) located on the Northwestern Pacific Ocean floor had been playing the role of the big end of head of the mid-oceanic ridge which came into being subsequently on the ocean floor from the Southeastern Pacific Ocean to the Indian Ocean and the Atlantic Ocean.

What is it symbolizing for the arctic ocean floor What role had it been playing in the past millions of years? and what is its fate in the faraway future?

The formation of the Arctic Ocean floor millions of years ago just symbolized the evolution of the midoceanic ridge of the Earth came to an end as a whole from head to tail in the past 60 million years before. Therefore, as a result, it had been playing the role of the small end of tail of the mid-oceanic ridge of the Earth for the past millions of years.

It is no doubt that with the continuing drifting northwards of the HBH (Hinted Black Hole) located on the Northwestern Pacific Ocean floor, the Arctic Ocean would disappear firstly on the Earth by merging with the Atlantic Ocean millions of years in the future.

So, the lifespan of the Arctic Ocean is the shortest one on the history of the Earth. It was the latest to be formed in the past and would be the earliest to disappear in the future. The whole life of it would be no more than ten million years, may be only within 6 million years.

What does it mean for human beings as the top species of animals wondering on the blue planet Earth?

It means that the evolution law of human beings keeps synchronizing with that of the humanoid Solar System and the mid-oceanic ridge of the Earth in different scales of time ranging from years to millions of years and even billions of years.

Is it only a legend story for the celestial bodies' love to exist in the universe?

There is a pathetic legend story about the celestial bodies' love in Chinese Culture that on the Chinese Valentine's Day, Lunar July 7, the Vega (\mathfrak{P}) and the Altair (\mathfrak{P}) locating on the two sides of the Milky Way would make an appointment on the bridge of magpies



across the Milky Way for the eternal love once vowed between them (Figure 12).

With the evolution and formation of the humanoid Solar System and the mid-oceanic ridge of the Earth, and even the behavior of human beings, there are reasons to believe that the celestial bodies' love is not a legend or fictional story any longer, it exist in the universe from the past to the present and even the future since the concrete proof had been existing around us, from the planet Earth to the Humanoid Solar System.

References

- 1. Yan H. The big bang of the interstellar dirty snow ball egg from which the solar system originated. J of Electron Sci and Electrical Res. 2025;2(1):01-10. doi: 10.20944/preprints202412.0203.v1
- Hogan J. Pluto loses planet status. Nature 2006. doi: 10.1038/ news060821-11.
- Seeler JF, Sharma A, Zaluzec NJ, Bleher R, Lai B, Schultz EG, Hoffman BM, LaBonne C, Woodruff TK, O'Halloran TV. Metal ion fluxes controlling amphibian fertilization. Nat Chem. 2021 Jul;13(7):683-691. doi: 10.1038/s41557-021-00705-2. Epub 2021 Jun 21. PMID: 34155376; PMCID: PMC8475775.
- Duncan FE, Que EL, Zhang N, Feinberg EC, O'Halloran TV, Woodruff TK. The zinc spark is an inorganic signature of human egg activation. Sci Rep. 2016 Apr 26;6:24737. doi: 10.1038/ srep24737. PMID: 27113677; PMCID: PMC4845039.
- Zhang N, Duncan FE, Que EL, O'Halloran TV, Woodruff TK. The fertilization-induced zinc spark is a novel biomarker of mouse embryo quality and early development. Sci Rep. 2016 Mar 18;6:22772. doi: 10.1038/srep22772. PMID: 26987302; PMCID: PMC4796984.
- 6. Yan H. The celestial body language implied by the humanoid solar system. March 18, 2025. doi: 10.31219/osf.io/3uyhw_v1.
- Müller RD, Sdrolias M, Gaina C, Roest WR. Age, spreading rates, and spreading asymmetry of the world's ocean crust. Geochem. Geophys. Geosyst. 2008;9(4):Q04006. doi: 10.1029/2007GC001743.

- 8. Yan H. The celestial body language implied by the ayers rock tasmania and main island of Australia. Curr Trends Mass Comm, 2024;3(1):01-09. doi: 10.20944/preprints202405.0287.v1
- Eatough RP, Falcke H, Karuppusamy R, Lee KJ, Champion DJ, Keane EF, Desvignes G, Schnitzeler DH, Spitler LG, Kramer M, Klein B, Bassa C, Bower GC, Brunthaler A, Cognard I, Deller AT, Demorest PB, Freire PC, Kraus A, Lyne AG, Noutsos A, Stappers B, Wex N. A strong magnetic field around the supermassive black hole at the centre of the Galaxy. Nature. 2013 Sep 19;501(7467):391-4. doi: 10.1038/nature12499. Epub 2013 Aug 14. PMID: 23945588.
- 10.Gaskell C. Astronomy: A giant black hole at the centre of a dwarf galaxy. Nature. 1985;314:672. doi: 10.1038/314672a0.
- 11.Reines A. Giant black hole in a stripped galaxy. Nature. 2014;513:322-323. doi: 10.1038/513322a.
- 12. Yan h. The discovery of the cross "+" shape ocean-plate whirlpool of double whirl arms of the planet earth. Adv Urban Region Dev Plann, 2024;1(2):01-14.
- 13.Watts A, Bodine J, Ribe N. observations of flexure and the geological evolution of the pacific ocean basin. Nature. 1980;283:532-537. doi: 10.1038/283532a0.
- 14.Rogers G. Oceanic plateaus as meteorite impact signatures. Nature. 1982;299:341-342. doi: 10.1038/299341a0.
- 15.Henghua Y. The discovery of the "ω" shape giant dragon of cracking ridge lurking on the ocean floor of the planet earth. CSK J of E, E Science & Agriculture Research, Research Article 1. 2024;1(2):01-05.
- 16.Chen YJ, Oceanic crustal thickness versus spreading rate. Geophys. Res. Lett. 1992;19:753-756. doi: 10.1029/92GL00161.
- 17.Smith, P. Oceanic lithospherec thickens with age. Nature. 1975;253:91-92 doi: 10.1038/253091a0.
- 18.Brown G. Oceanic heat flow, lithosphere age and thickness. Nature. 1979;80:198 doi: 10.1038/280198a0
- 19.Calmant S, Cazenave A. Anomalous elastic thickness of the oceanic lithosphere in the south-central Pacific. Nature. 1987;328:236-238. doi: 10.1038/328236a0.
- 20.Henghua Y. The jigsaw recovery of the earth's unique supercontinent 66 million years ago. ESS Open Archive. 2023. doi: 10.22541/essoar.168500251.13364603/v1.